

July 2025

Base Cloth Descriptions and Specifications

Recycled Green Base Cloths



***Greenfield_** – 54” Wide – 9.5 oz. Per Linear Yard - 100% Recycled Polyester Sateen Weave FR Blend – Washable – Dimensionally Stable – Inherently Flame Retardant - Complies with NFPA 701 - 2010 Edition, Test Method I, and Complies with Boston BFD 1X-1, California Fire Marshall Title 19 and other FR Specifications. *NAFTA Compliant*

Recommended for Draperies, Bedspreads and Bed Skirts

* * * * *

Greenley - 54” Wide – 12 oz. Per Linear Yard – 55% Polyester / 45% REPREEVE Recycled Polyester – Inherently Flame Retardant - Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, CAN/ULC-S109-14 – Washable – Dry Cleanable – Dimensionally Stable, Cleaning Code: WS

Recommended for Drapery, Bedding, Accessories, Shower Curtains, Upholstery

* * * * *

Greenway - 54” Wide – 12 oz. Per Linear Yard – Dim-Out Fabric with a Soft, Buttery Hand - Good Insulation and Sound Defusing Properties - 100% Polyester (55% Recycled) F.R. Blend, Sateen Weave - Inherently Flame Retardant - Anti-Microbial – Anti-Bacterial - Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Technical Bulletin 44.

Recommended for Drapery Applications/ Privacy Curtains

Ideal for Dual Side Printing

* * * * *

***Limited Availability**

July 2025

Base Cloth Descriptions and Specifications

Crypton® Upholstery

Serenade Crypton® - 54" Wide - 16 oz. Per Linear Yard - 100% Polyester Inherently F.R. Textured Linen Weave - Permanently Encased Yarns in Crypton® Copolymer Formula - Engineered for Stain, Moisture and Bacteria Repellency - Cleanable with Powdered Enzyme Detergent and Water - Tough and Flexible - Exceeds 100,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck). Serenade Crypton® Base Cloth Complies with California Technical Bulletin 117, Section E - UFAC Class 1 - NFPA 260 FR Specifications.

NAFTA Compliant

Recommended for Upholstery Applications

Non-Crypton® Upholstery

Ballad-U — 54" Wide — 14 oz Per Linear Yard — 100% Polyester Intrinsic FR. Spun Warp and Weft with an Oxford Weave for a dry, natural cotton-like hand. Finished with a C-Zero Stain Repellent and Acrylic Backing. Ballad-U complies with NFPA 260, UFAC Class 1, California Technical Bulletin 117, Section E and Complies with 90,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck).

NAFTA Compliant

Chevelle - 54" Wide — 16 oz Per Linear Yard — 100% Polyester Chenille fabric with the look and feel of Velvet. Finished with a C-Zero Stain Repellent and Acrylic Backing. Chevelle complies with NFPA 260, UFAC Class 1, California Technical Bulletin 117, Section E and Complies with 75,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck).

Comfy - 54" Wide — 16 oz Per Linear Yard — 100% Polyester Pile Velvet Fabric. Finished with a C-Zero Stain Repellent and Woven Backing. Comfy complies with NFPA 260, UFAC Class 1, California Technical Bulletin 117, Section E and Complies with 100,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck).

Emcee - 54" Wide — 14 oz Per Linear Yard — 100% Polyester Embossed Pile Velvet Fabric. Finished with a C-Zero Stain Repellent and Woven Backing. Emcee complies with NFPA 260, UFAC Class 1, California Technical Bulletin 117, Section E and Complies with 100,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck).

Medley-U - 54" Wide — 12 oz. Per Linear Yard — 100% Textured Polyester FR Blend Inherently Flame Retardant. Textured Filament Warp and Filling Yarns with a Natural "Linen" Texture Weave *Plus* Nano-Tex, C-Zero and Acrylic Backing. Medley-U complies with NFPA 260, BIFMA Class 1, UFAC Class 1, California Technical Bulletin 117, Section E and Complies with 50,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM D-4157 (#10 Cotton Duck).

NAFTA Compliant

Base Cloth Descriptions and Specifications

Sheer Base Cloths

Fig - 117"/118" Width - 4.5 oz. Per Linear Yard - Filament Warp and Filling - 100% Polyester Voile - Flame Retardant - Complies with NFPA 701 - 2010 Edition, Test Method 1, Boston Fire Department BFD 1X-1, City of New York Board of Standards Appeal Technical Bulletin 44.

Recommended for Drapery Applications

Fluid - 117"/118" Width - 4.5 oz. Per Linear Yard - Filament Warp, Spun Filling, 100% Polyester Batiste, Flame Retardant - Complies with NFPA 701 - 2010 Edition, Test Method 1, Boston Fire Department BFD 1X-1, City of New York Board of Standards Appeal Technical Bulletin 44.

Recommended for Drapery Applications

Forever - 117"/118" Width - 10 oz. Per Linear Yard - Filament Warp and Filling, 100% Polyester Texture Sheer, Flame Retardant - Complies with NFPA 701 - 2019 Edition, California Fire Marshall Title 19 - CAN/ULC S109-14

Recommended for Drapery Applications

Dim-Out Lining/Drapery

Vespers - 54" Wide - 12.5 oz. Per Linear Yard - Dim-Out Fabric with a Soft Buttery Hand - Good Insulation and Sound Defusing Properties - 100% Polyester F.R. Blend Sateen Weave - Inherently Flame Retardant - Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Technical Bulletin 44.

Recommended for Drapery Applications

Ideal for Dual Sided Printing

IMO Drapery

Recommended for Drapery Applications

Eclipse - 54" / 118" Wide - 14 oz. Per Linear Yard - Inherently Flame Retardant - 100% Polyester Sateen-Like Face with Three-Pass Blackout FR Acrylic Backing. This fabric provides 100% Light Blackout while also providing Noise Reduction Properties as well as Thermal Insulation. Eclipse Base Cloth Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, IMO 2010 FTP Code Part 7.

Midnight - 54" / 118" Wide - 18 oz. per linear yard. Inherently Flame Retardant - 100% Polyester Linen Texture Weave with Three-Pass Blackout FR Acrylic Backing. Pattern Midnight enhances our prints with the look of a woven fabric while providing 100% Light Blackout and thermal insulation. Midnight Base Cloth Complies with NFPA 701-2010 Edition, Test Method 1, California Fire Marshall Title 19, CAN/ULC/S109-14, IMO 2010 FTP Code Part 7.

IMO Vespers - 54" Wide - 12.5 oz. Per Linear Yard - Dim-Out Fabric with a Soft Buttery Hand - Good Insulation and Sound Defusing Properties - 100% Inherently Flame-Retardant Polyester - Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1; City of New York Board of Standards Appeal Technical Bulletin 44 and IMO 2010 FTP Code, Part 7

July 2025

Base Cloth Descriptions and Specifications

100% Polyester / Inherently Flame Retardant Recommended for Drapery and Bedding Applications

Adagio – 54" Wide - 9 oz. Per Linear Yard - Striae Texture Weave of Polyester Filament Yarns including a Yarn-Dyed Slub. Inherently Flame Retardant - Complies with NFPA 701–2010 Edition, Test Method 1, California Fire Marshall Title 19, CAN/ULC/S109-14. **NAFTA Compliant**

Crescendo – 54" Wide - 8 oz. Per Linear Yard – Textured Filament Warp and Filling, “Linen-Like Weave/Texture” - 100% Textured Polyester F.R. Blend - Inherently Flame Retardant – Crescendo Base Cloth Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Technical Bulletin 44. **NAFTA Compliant**

Medley - 54" Wide – 12 oz. Per Linear Yard – 100% Polyester FR Blend Inherently Flame Retardant - Textured Filament Warp and Filling Yarns with a Natural “Linen” Texture Weave. Medley Base Cloth Complies with NFPA 701 – 2010 Edition, Test Method 1 and Passes over 30,000 Double Rubs on the Wyzenbeek Abrasion Test - ASTM-D-4157(#10 Cotton Duck). **NAFTA Compliant**

Plush - 54" Wide – 11 oz. per linear yard – 100% Polyester Flame Retardant – Washable – Dry Cleanable – Dimensionally Stable – Less than 2% Shrinkage After Washing – Complies with NFPA 701-2010 Edition, Test Method 1, California Fire Marshall Title 19 – Passes over 30,000 Double Rubs on the Wyzenbeek Abrasion Test ASTM D-4157 (#10 Cotton Duck) – Cleaning Code WS

Soprano – 54" Wide, 7.5 oz. Per Linear Yard - Ottoman Weave Textured Filament Warp and Filling - 100% Textured Polyester F.R. Blend - Inherently Flame Retardant. Soprano Base Cloth Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Technical Bulletin 44. **NAFTA Compliant**

Triple Pass Blackouts / Flame Retardant Recommended for Drapery Applications

Eclipse - 54" / 118" Wide – 14 oz. Per Linear Yard – Inherently Flame Retardant - 100% Polyester Sateen-Like Face with Three-Pass Blackout FR Acrylic Backing. This fabric provides 100% Light Blackout while also providing Noise Reduction Properties as well as Thermal Insulation. Eclipse Base Cloth Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, IMO 2010 FTP Code Part 7.

Midnight - 54" / 118" Wide – 18 oz. per linear yard. Inherently Flame Retardant – 100% Polyester Linen Texture Weave with Three-Pass Blackout FR Acrylic Backing. Pattern Midnight enhances our prints with the look of a woven fabric while providing 100% Light Blackout and thermal insulation. Midnight Base Cloth Complies with NFPA 701-2010 Edition, Test Method 1, California Fire Marshall Title 19, CAN/ULC/S109-14, IMO 2010 FTP Code Part 7.

July 2025

Base Cloth Descriptions and Specifications

Intrinsic® F.R.

Applause – 54" Wide - 5.25 oz. Per Linear Yard – Textured Filament Warp and Filling - Sheeting Construction - 100% Textured Polyester - *Plus* Intrinsic® Permanent Flame Retardant. Applause Base Cloth Complies with NFPA 701- 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Bulletin 44.

NAFTA Compliant

Recommended for Drapery and Bedding Applications

Ballad – 54" Wide, 14 oz. Per Linear Yard, — 54" Wide – 14 oz Per Linear Yard – 100% Polyester Intrinsic FR. Spun Warp and Weft with an Oxford Weave for a dry, natural cotton-like hand. Ballad complies with NFPA 701- 2010 Edition, Test Method 1, California Fire Marshall Title 19,

NAFTA Compliant

Recommended for Drapery and Bedding Applications

Maestro – 54" Wide, 7.75 oz. Per Linear Yard, Textured Filament Warp, Textured Filament Filling, Oxford Weave, 100% Polyester with Intrinsic® Permanent Flame Retardant, Complies with NFPA 701 - 2010 Edition, Test Method 1, California Fire Marshall Title 19, Boston Fire Department BFD1X-1 and City of New York Board of Standards Appeal Bulletin 44.

NAFTA Compliant

Recommended for Drapery and Bedding Applications